

An Alternative Framework of Geometry and Topology in Relativity

Syed Afsar Abbas

Centre for Theoretical Physics
JMI, New Delhi - 110025, India
(e-mail : afsar.ctp@jmi.ac.in)

Abstract

We study geometry and topology as complementary and dual aspects of the mathematical space. The same is used to get a better understanding of the Cosmological Constant. Having failed so far to include gravity in a proper unified framework with the other three fundamental gauge forces, we are now faced with an additional unwanted fifth force of repulsion, also envisaged as the Dark Energy problem. How does one understand this 3+1+1 fundamental force dilemma? We introduce here a novel idea of the Fundamental Forces. This will give us an additional and an all-encompassing way of classifying these five fundamental forces in a consistent manner and thereby strengthen the geometry-topology complementarity concept. This also helps us to understand as to what one actually means when substituting $g_{\mu\nu} = \eta_{\mu\nu} + h_{\mu\nu}$ with the last term being "small" in General Relativity. This provides an understanding of the generic relationship and the complementarity of the geometric and the topological structures which is then formalized as a basic theorem enabling us to understand the underlying connection between the physical reality and the pure mathematical structures.

To understand the structure of space-time, one starts with the simplest possible differential manifold as a collection of points. One imposes conditions of smoothness on it to define the most primitive topological structure on it. These topological transformations are quite independent of the concept of length. Thereafter one introduces a new property on the manifold, that of an affine connection and also introduce a new structure which brings in the notion of length through a metric. In general, the affine connection concept and the metric are quite independent of each other. However, as it turns out that in physics what appears to have physical relevance is an affine connection defined in terms of the metric - the so called metric connection. One should note that in this metric structure, the topological structure is anyway present simultaneously in the background - meaning that both the geometric and the topological structures are present intrinsically.

We have also learned that metric or length has all that can be known about the structure of the space-time. If we know the metric we have learned as much as possible about space-time. But one should not forget the significance of "no metric". It should have physical significance too. This corresponds to the topological structures. Invariants of the topology provide further basic information about the spacetime structure. So geometry (properties dependent upon the existence of a metric) and topology (properties independent of length) seem to be playing a complementary role here. This is further consolidated by the fact that when we deform a surface, properties of the surface which do not change with deformation are called topological while those which do change as a result of deformation are geometric. Not only does it appear that the topological structures and geometric structures are complementary aspects of the mathematical space; in as much as a metric may be present or not present - the complementarity is exclusive, and in as much as these are the only two possibilities which a physically relevant structure can have - the complementarity is exhaustive. Viewed in this manner, this appears like a fundamental structural duality of space-time. One should note that this duality is of generic nature, not dependent upon the details of either geometry or topology involved.

The question that arises is that as what appears as a logically and mathematically consistent connection between geometry and topology above, does the physical reality as emphasized in General Theory (GT), Special Theory (ST) and Newtonian Mechanics (NM) reflect this structural duality? We study this below to show that indeed there are strong physical support

for this concept. This enables us to suggest a new Geometry-Topology-Complementarity Theorem to formalize this structure and which in return pays back rich dividends.

Note that we may define geodesics as per Wald [1, p 41] as a curve whose tangent vector is parallel propagated along itself, which means a curve whose tangent T^a satisfies the equation

$$T^a \nabla_a T^b = 0 \quad (1)$$

where ∇_a is the covariant derivative operator. This definition may be called "geometric" in nature as we are demanding maintenance of the same length. However we may impose a weaker condition on parallel transport that the tangent vector to the curve point in the same direction as itself when parallel transported without demanding any maintenance of the same length. In that case the above condition becomes:

$$T^a \nabla_a T^b = \alpha T^b \quad (2)$$

with α being an arbitrary function on the curve. We call this geodesics as being topological in nature as the concept of length does not arise here. However it turns out that the second equation can be reparametrized (affine parametrization) such that the first equation arises. And there is no loss of generality in doing this. In terms of the complementarity principle that we have enunciated above, this means that both the geometric and the topological characters are hidden within the structure of GR without favouring any one particular aspect - geometry or topology. The geodesics are neutral as to this - but they are both there intrinsically. However when GR will make predictions for physically measurable quantities, one feels that this will provide it to split with a geometric and a complementary (that is additive) topological character. Let us see how this may be justified.

Einstein Equation says

$$G_{\mu\nu} = 8\pi G T_{\mu\nu} \quad (3)$$

Due to the Equivalence Principle, on the left hand side the force of gravity has disappeared entirely and has been replaced by pure geometry. The Machian view is reflected in the energy momentum tensor on the right determining the geometric structure on the left.

This equation has been very successfully employed to understand the structure of space-time and it has stood well in giving good understanding to cosmology. A very successful equation indeed, until recently when one learned that actually there is a new repulsive force within the framework of the expanding universe. How does one understand that?

Let us look at the Einstein's Equation again. Harvey and Schucking correcting for Einstein's error [2] in mis-understanding the role of the cosmological term λ , have derived the most general equation of motion to be

$$G_{\mu\nu} + \lambda g_{\mu\nu} = 8\pi G T_{\mu\nu} \quad (4)$$

They showed that the Cosmological Constant λ above provides a new repulsive force proportional to mass m , repelling every particle of mass m with a force

$$F = (m\lambda) \frac{c^2 x}{3} \quad (5)$$

Hence so to say there is "matter without motion" [2] where Cosmological Constant provides the repulsion. As per our complementarity principle between geometry and topology, and as geometry has already replaced the force of gravity above, could it be that this additional repulsive force be treated as of topological nature. The fact that it is force without motion, implies that there is no length concept involved. We have seen above that mathematical structures which are independent of length are of topological nature. So indeed this new force may justifiably be treated as being of topological nature. So we notice that geometry-topology complementarity theorem seems to be holding good here.

The same concept here gets support from a different quarter - that of consistent understanding of as to how many fundamental forces actually are there; four or five or more?

So far all our understanding of nature has been successfully described within the Standard Model (SM) of particle physics. Whatever was not accessible to it, has been explained in terms of various theoretical extensions of the SM. All this was done in terms of an understanding that there are four fundamental forces. Three of these are gauge forces and the fourth one, that of gravity, it is believed, shall "soon" be incorporated in a unified whole as some kind of quantized gauge theory. This "soon" has been dogging us for

several decades. The problem becomes more confusing in that there always remains a clear possibility that gravity, at a fundamental level, may be a different kind of force altogether and may not be quantized at all, and in which case its unification with the other three forces will have to be seen differently. The fact that one has not been able to achieve this so called unification of the four forces so far, we are thus justified in breaking this so called four force problem as actually being of the nature of a 3+1 force problem.

Given the above situation, no one expected and no one wanted, yet another new fundamental "force" to spring up. But there it is - the new force of repulsion of galaxies given by eqn. 5, call it RF (Repulsive Force)!

One question that arises immediately is, as to the nature of this RF. Is it simply a gauge force like the other three and then the force problem is of the 4+1 kind; or is it fundamentally of the gravity kind and in which case the force problem is that of 3+2 kind; or is it different from all these and in which case it is 3+1+1 kind?

The discovery of the RF is akin to the discovery of the muon, when people were quite happy and contended with only the electron and when I. I. Rabi in puzzlement asked, "who ordered it?" We too can paraphrase Rabi by asking, "Who ordered this fifth force?" The discovery of muon forced scientists to extend their theoretical framework significantly. No patch-up work, but a genuine attempt to include this new force in a fundamental and consistent framework of our understanding of nature.

It may be remarked that the concept of a so called fifth force has been there for quite sometime. Extensions of Einstein's GTR, like for example Brans-Dicke theory, necessarily have an extra fifth force, in which case the RF may belong to the 3+2 or 3+1+1 classification. Higher dimensional Kaluza-Klein kind of theories, supersymmetric theories, superstring theories etc also predict the fifth fundamental force of the Yukawa kind and in which case it will very likely belong to the 4+1 kind. It is not clear that the new RF is this putative fifth force [3,4]. In fact this theoretical fifth force is incompatible with overall cosmological framework [3,4]. Just because the word "fifth" force has been usurped by the other models, does not mean that the actual empirical fifth RF is of their kind. So minimal conclusion would be that with the new RF, the force problem is per se of the 3+1+1 kind.

Here we wish to understand the "force" nature of the new problem. To do so we introduce a new concept of the "Universal Force". It was first proposed

by Hans Reichenbach [5].

Reichenbach defines two kind of forces - Differential Forces and Universal Forces. It may be pointed out that the term "force" here should not be taken strictly as defined in physics but in a broad and general framework.

One calls a force Differential if it acts differently on different substances. It is called Universal if it is quantitatively the same for all the substances [5]. If we heat a rod of initial length l_0 from initial temperature T_0 to temperature T then its length is given as

$$l = l_0[1 + \beta(T - T_0)] \quad (6)$$

where β the coefficient for thermal expansion is different for different materials. Hence this is a Differential Force. Now the correction factor due to the influence of gravitation on the length of the rod is

$$l = l_0[1 - C\frac{m}{r}\cos^2\phi] \quad (7)$$

Here the rod is placed at a distance r from sun whose mass is m and ϕ is the angle of the rod with respect to the the line sun to rod. C is a universal constant (in CGS unit $C= 3.7 \times 10^{-29}$). As this acts in the same manner for any material of mass m , gravity is a Universal Force as per the above definition.

Reichenbach also gives a general definition of the Universal Forces [5,p 12] as: (1) affecting all the materials in the same manner and (2) there are no insulating walls against it. We saw above that gravity is such a force,

Indeed gravity is a Universal Force par excellence. It affects all matter in the same manner. The equality of the gravitational and inertial masses is what ensures this physically. If the gravitational and inertial masses were not found to be equal, then one would not have been able to visualize of the paths of freely falling mass points as geodesics in the four dimensional space-time. In that case different geodesics would have resulted from different materials of mass points [5].

Therefore the universal effect of gravitation on different kinds of measuring instruments is to define a single geometry for all of them. Viewed this way, one may say that gravity is geometrized. "It is not theory of gravitation that becomes geometry, but it is geometry that becomes the experience of the gravitational field" [5, p 256]. Why does the planet follow the curved path?

Not because it is acted upon by a force but because the curved space-time manifold leaves it with no other choice!

So as per Einstein's theory of relativity, one does not speak of a change produced by the gravitational field in the measuring instruments, but regard the measuring instruments as free from any deforming forces. Gravity being a Universal Force, in the Einstein's Theory of Relativity, it basically disappears and is replaced by geometry.

In fact Reichenbach [5, p 22] shows how one can give a consistent definition of a rigid rod - the same rigid rods which are needed in relativity to measure all lengths. "Rigid rods are solid bodies which are not affected by Differential Forces, or concerning which the influence of Differential Forces has been eliminated by corrections; Universal Forces are disregarded. We do not neglect Universal Forces. We set them to zero by definition. Without such a rule a rigid body cannot be defined." In fact this rule also helps in defining a closed system as well.

All this was formalized in terms of a theorem by Reichenbach [5, p 33]

THEOREM θ :

Given the geometry G^0 to which the measuring instruments conform, we can imagine a Universal Force F which affects the instruments in such a way that the actual geometry is an arbitrary geometry G , while the observed deviation from G is due to universal deformation of the measuring instruments."

$$G^0 + F = G \tag{8}$$

Hence only the combination $G^0 + F$ is testable. As per Reichenbach's principle one prefers the theory wherein we put $F=0$. If we accept Reichenbach principle of putting the Universal Force of gravity to zero, then the arbitrariness in the choice of the measuring procedure is avoided and the question of the geometrical structure of the physical space has a unique answer determined by physical measurement.

In the case of gravity, and in as much as Einstein's Theory of Relativity has been well tested experimentally, we treat the above concept as well placed empirically. But from this single success Reichenbach generalizes this as a fundamental principle for all cases where Universal forces may arise.

As such Reichenbach goes ahead and tries to apply this principle of elimination of Universal Forces to another universal effect that he finds and which arises from considerations of topology (as an additional consideration over and above that of geometry) of space-time of the universe.

The Theorem θ is limited to talking about the geometry of space-time only. It does not take account of specific topological issues that may arise. To take account of topology of the space-time we shall have to extend the said theorem appropriately. This of course is essential as per our geometry-topology complementary concept.

What would one experience if space had different topological properties. To make the point home Reichenbach considers a torus-space [5, p 63]. This is quite detailed and extensive. However for the purpose of simplifying the and shortening the discussion here we shall talk of a two dimensional being who lives on the surface of a sphere. His measurements tell him so. But in spite of this he insists that he lives on a plane. He may actually do so as per our discussion above if he confines himself to metrical relations only. With an appropriate Universal Force he can justify living on a plane. But the surface of a sphere is topologically different from that of a plane. On a sphere if he starts at a point X and goes on a world tour he may come back to the same point X. But this is impossible on a plane. And hence to account for coming back to the "same point" he has to maintain that on the plane he actually has come back to a different point Y - which though is identical to X in all other respects. One option for him is to accept that he is actually living on a sphere. However if he still wants to maintain his position that he is living on a plane then he has to explain as to how point Y is physically identical to point X in spite of the fact that X and Y are different and distinct points of space. Indeed he can do so by visualizing a fictitious force as an effect of some kind of "pre-established harmony" [5, p 65] by proposing that everything that occurs at X also occurs at the point Y. As it would affect all matter in the same manner this corresponds to a Universal Force as per Reichenbach's definition.

This interdependence of corresponding points which is essential in this "pre-established" harmony cannot be interpreted as ordinary causality, as it does not require ordinary time to transmit it and also does not spread continuously through intervening space. Hence there is no mysterious causal connection between the points X and point Y. Thus this necessarily entails proposing a "causal anomaly" [5, p 65]. In short connecting different topolo-

gies through a fictitious Universal Effect of "pre-established harmony" necessarily calls for introduction of "causal anomalies". Call this new hypothetical Universal Force as A and the Theorem θ be extended to read

$$G^0 + F + A = \mathbf{G} \quad (9)$$

where on the right had side we have given a different capital $\mathbf{G}$ which reduces to G of the original Theorem θ when A is set equal to zero.

Now as per Reichenbach's law of preferring that physical reality wherein all Universal Forces are put to zero, he advocates of putting A to zero. He pointed out that this has the advantage of retaining physical "causality" in our science.

However what it is possible that Reichenbach was wrong in putting all Universal Forces to zero. The justification has to be sought in actual physical reality. It was fine to put F to zero, which allowed us to define a truly "rigid" rod and which led to a geometrical interpretation of gravity in a unique manner. But in the case of this new topological Universal Force we really do not know enough and let us not be governed by any theoretical prejudice and let the Nature decide as to what is happening. So to say, let us look at modern cosmology to see if it is throwing up any new Universal Forces which may be identified with our "pre-established harmony" here. And there indeed is this Universal RF here! It is universal as it acts in the same manner on all bodies of mass m. This new fifth fundamental force, which is a puzzle for the SM and its putative extensions, is but a natural ally of gravity in being of universal character.

So as per this new classification, there are three well known gauge forces and two universal forces - that of gravity and the new one of repulsion. However, this has an advantage that it points to a basic similarity between the two - gravity and repulsive-force, which is not apparent in the canonical way of adding up the fifth force in an ad-hoc manner. Hence as per the definition above, the forces should be classified as 3+2 kind. Clearly this is providing us with an understanding which may help us in the present puzzling scenario.

This thus supports our Geometry-Topology Complementarity concept. And because of the exhaustiveness and the completeness of geometry and topology to define the surface completely, it therefore predicts that there would be no more fundamental forces other than the five known now.

One would like to ask as to in what other manner, incorporation of this new "causal anomaly", may help us in understanding Nature better? Will it provide new perspectives as answers to quantum mechanical puzzles of quantum jumps, non-locality etc. These are open questions to be tackled in future.

As a further application of the Geometry-Topology Complementarity concept let us study the Newtonian Mechanics (NM) limit of General Relativity (GR). One gets NM from GR under appropriate condition under a perturbation approximation with the assumption that

$$g_{\mu\nu} = \eta_{\mu\nu} + h_{\mu\nu} \quad (10)$$

with the condition that $|h_{\mu\nu}| \ll 1$.

Canonically using the above as perturbation and using the lowest order (first order in $h_{\mu\nu}$) approximation one does recover the NM formulations. This is basically as per perturbation theory being valid for the weak field.

However as per our complementarity idea the metric for the case under consideration, should break up into its geometric and topological components

$$g_{\mu\nu} = \langle \eta_{\mu\nu} \rangle_{\text{geometry}} + \langle h_{\mu\nu} \rangle_{\text{topology}} \quad (11)$$

which is basically the $\eta_{\mu\nu}$ and the $h_{\mu\nu}$ terms respectively. This is an exact result in our formulation. However the perturbation idea would work (within limits) in as much as $|h_{\mu\nu}| \ll 1$ is actually small physically. The exactness of our result makes sense as it turns out that there are consistency issues when using perturbation theory in the above case as emphasized by Wald [1 p 78]. To quote him " One final, somewhat troublesome point deserves further comment. Above we showed that general relativity reduces to Newtonian gravity in an appropriate limit, but strictly speaking, we went beyond the linear approximation to show this. .. it illustrates the difficulties which occur when one tries to derive equations of motion from Einstein's equation via a perturbation expansion in the departure from flatness. In order to obtain a good approximation to a solution to given order, one must use aspects of the higher order equations." This just consolidates our assertion here that this is no perturbation actually.

Given the success of the concepts introduced here we have formalized the same in terms of the the following theorem:

The Geometry-Topology Complementarity Theorem:

Part A Given any mathematical space, geometry and topology are exclusively and exhaustively, complementary aspects of its nature.

Part B Under appropriate conditions, all physically measurable quantities should have geometric and topological parts as additive quantities.

Part C Parts A and B are generic in nature; ie. independent of the exact details of particular geometry and topology used in different models

The proof of Part A is already contained in the beginning para of this paper. The exclusiveness and exhaustiveness of the complementarity ensures Part B. The generality of the results implicit in Part A and B suggest the correctness of Part C. In fact this theorem may be used to put constraints and demand consistency of various geometric and topological models used to describe a particular mathematical/physical reality.

Let us apply this Theorem to Einstein energy equation of Special Relativity

$$E^2 = p^2 c^2 + m_0^2 c^4 \quad (12)$$

As the first part on right is clearly metric dependent - it constitutes the geometric part of the equation. Hence clearly as per the above Theorem the rest mass m_0 is necessarily of topological origin. As the theorem is of generic nature, it provides "existence" proofs. It tells us about the nature of the rest mass without giving details of how and in what manner it arises. However as we are now aware of the intrinsic topological nature of the rest mass, we should be able to explore the same issue with greater clarity and confidence.

REFERENCES

1. R M Wald, "General Relativity", Univ Chicago Press, Chicago (1984)
2. A Harvey and E Schucking, "Einstein's mistake and the cosmological constant", *Am J Phys*, **68** (2000) 723-727
3. E J Copeland, M Sami and S Tsujikawa, "Dynamics of Dark Energy" *Int J Mod Phys*, **D 15** (2006) 1753-1936
4. E I Guendelmann and A B Kaganowich, "Dark Energy and the Fifth Force Problem", *J Phys*, **A 41** (2008) 164053
5. H Reichenbach, "The philosophy of space and time", Dover, New York (1957) (Original German edition in 1928)